

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	((("4568332") or ("6003735") or ("2529544") or ("2628059")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/07/22 12:38
S2	540	(251/4).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/07/15 12:54
S3	786	((251/84) or (251/88)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/07/15 13:02
S4	1750	((251/205) or (251/208) or (251/209)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/07/15 13:02
S5	756	(251/212).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/07/15 13:02
S6	1673	((251/284) or (251/286)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/07/15 13:03
S7	2070	((251/309) or (251/310)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/07/15 13:03
S8	1304109	rotate	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/15 13:03
S9	498287	rotat\$3 and valv\$2	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/15 13:04
S10	238554	suction and device	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/15 13:04
S11	53837	S9 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/15 13:05
S12	7	S2 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/15 13:06

S14	43	S11 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/15 13:08
S15	7	S11 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/15 13:11
S16	5	S11 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/15 13:12
S17	21	S11 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/15 13:12
S18	20	("5019054").URPN.	USPAT	OR	ON	2005/07/15 13:16
S19	29	("0628907" "0786215" "1658754" "3012752" "3048192" "3788602" "3834372" "3957082" "4173328" "4230128" "4282873" "4314586" "4397335" "4540156" "4568332" "4581014" "4593717" "4595005" "4645496" "4648868" "4667927" "4807666" "4911202" "4925450").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 13:58
S20	1028607	flange	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 13:58
S21	725	(S20 and S4) or (S20 and S7)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 13:59
S22	564	S21 and S9	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 14:17
S23	44681	handle and guard	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 14:18
S24	119799	("251").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/07/15 14:18
S25	407	S23 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/15 14:19
S26	227	S25 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/15 14:31

S27	1962	taper\$2 near stem\$2	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/15 14:32
S28	193	S27 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/15 14:32
S29	115	S28 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/15 14:43
S31	107169	flange and boss	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/15 14:44
S32	72	S31 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/15 14:47
S33	62	S31 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/15 14:47
S34	778	((251/286) or (251/192)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/07/18 16:09
S35	1028607	flange	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 16:09
S36	156	S35 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/18 16:11
S37	247287	boss	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/18 16:12
S38	105525	S37 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/18 16:12
S39	498287	rotat\$3 and valv\$2	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/18 16:12
S40	21895	S38 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/18 16:13

S41	238554	suction and device	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/18 16:13
S42	2931	S40 and S41	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/19 08:46
S43	442	((604/32) or (604/248)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/07/19 08:10
S44	35	("4925450").URPN.	USPAT	OR	ON	2005/07/19 08:30
S45	14	("1520508" "3071402" "3461870" "3517669" "3527478" "4182385" "4369991" "4536180" "4568332").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/19 08:30
S46	29	("0628907" "0786215" "1658754" "3012752" "3048192" "3788602" "3834372" "3957082" "4173328" "4230128" "4282873" "4314586" "4397335" "4540156" "4568332" "4581014" "4593717" "4595005" "4645496" "4648868" "4667927" "4807666" "4911202" "4925450").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/19 08:32
S47	1028798	flange	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/19 08:46
S48	247329	boss	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/19 08:46
S49	105547	S48 and S47	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/19 08:46
S50	498421	rotat\$3 and valv\$2	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/19 08:46
S51	21899	S49 and S50	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/19 08:46
S52	238628	suction and device	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/19 08:46

S53	2932	S51 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/19 08:46
S54	1037	S53 and taper\$2	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/19 08:47
S55	1962	taper\$2 near stem\$2	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/19 08:48
S56	443	S55 and S50	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/19 09:02
S57	4345	guide near taper\$2	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/19 09:03
S58	1430	S57 and S47	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/19 09:04
S59	105	S57 and S49	USPAT	OR	ON	2005/07/19 09:23
S60	4539	guide near2 taper\$2	USPAT	OR	ON	2005/07/19 09:24
S61	195	S60 and S49	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/19 09:25
S62	45	Shippert.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/19 10:33
S63	301	(604/119).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/07/19 10:33
S64	20	("3191600" "3911919" "4468216" "4502508" "4526573" "4569344" "4680026" "4775365" "4784649" "4966551" "5019054" "5203769").PN. OR ("5269768").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/20 14:14
S66	905126	handle	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/20 14:15
S67	2193	taper\$2 near2 guide\$1 and channel\$1	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/20 14:16

S68	30614	channel\$1 near guide\$2	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/20 14:24
S69	7431	taper\$2 near2 guide	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/20 14:24
S70	18138	curv\$3 near2 guide	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/20 14:26
S71	12190	handle near2 knob	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/20 14:32
S72	900	boss and (curv\$3 near guide)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/20 14:33
S73	14529	handle near3 knob	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/20 14:34
S74	88	S70 and S73	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/20 14:35
S75	778	((251/286) or (251/192)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/07/20 15:04
S76	94669	guide near rail	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/20 15:32
S77	624929	taper\$2	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/20 15:31
S78	12502	handle near2 knob	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/20 15:31
S79	1369873	channel	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/20 15:32
S80	1136340	flange	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/20 15:32
S81	9649	S76 and S77	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/20 15:32

S82	189	S76 and S78	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/20 15:37
S83	1519466	curv\$7	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/20 15:38
S84	23199	S76 and S83	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/20 15:38
S85	3998	S84 and S77	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/20 15:38
S86	1690	S85 and S79	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/20 15:39
S87	16	S86 and S78	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/20 15:47
S88	1246	taper\$2 near2 guide near surface	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/20 15:47
S89	454	S88 and S80	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/20 15:56
S90	718	handle adj groove	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/20 15:57
S91	260	S83 and S90	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/20 15:57
S92	1738	valve same handle near2 knob	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/22 11:06
S93	10611	valve near handle	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/22 11:19

S94	3454	handle near stem	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/22 11:19
S95	535	S94 and S93	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/22 11:19
S97	1200	(251/309).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/07/22 12:39
S98	9	S97 and Neal	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/22 12:39
S99	6	((("4568332") or ("6003735") or ("2529544") or ("2628059"))).PN.	USPAT; USOCR; EPO; JPO	OR	OFF	2005/07/25 13:22
S10 0	382	(604/30).CCLS.	USPAT; USOCR; EPO; JPO	OR	OFF	2005/07/26 12:57
S10 1	656	(604/35).CCLS.	USPAT; USOCR; EPO; JPO	OR	OFF	2005/07/26 13:13
S10 2	752	(604/246).CCLS.	USPAT; USOCR; EPO; JPO	OR	OFF	2005/07/26 13:13
S10 3	20	("0806079" "2902253" "3012752" "3774604" "3788599" "3834372" "3890712" "4003403" "4158916" "4227533" "4342315" "4667927" "4758235" "4973319" "5019054" "5074334" "D271421").PN. OR ("5364341").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/26 13:44
S10 4	10	("4759349" "4904238" "5542915" "5542916" "5542918" "5718668" "5800431").PN. OR ("6149622").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/26 13:46
S10 5	1518	(604/22).CCLS.	USPAT; USOCR; EPO; JPO	OR	OFF	2005/07/29 13:17

WEST Search History

DATE: Wednesday, August 10, 2005

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=USPT,EPAB,JPAB; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L6	137/556.ccls. (4506737 4305438 4502618 4531272 4567634 4602657 4921140 5392805 5570722 5937890 5687028 5832952 5924676 6073647 4609177 4966191 4440381 4446673 4475572 4562994 4971097 5012833 5992440 6182700 3593962 3575208 3675682 3642266 4032107 4057883 4077606 4273148 4303098 4304252 4337919 4338981 4351512 4366832 4411407 4418888 4445529 4448391 4460009 4471942 4478249 4513779 4515037 4521963 4528735 4540155).pn.	490
<input type="checkbox"/>	L5	(2324633 2991804 3298661 3525363 3678960 3780736 345603 4015816 4314586 4667927 4807666).pn.	55
<input type="checkbox"/>	L4	3525363[uref]	23
<input type="checkbox"/>	L3	(2324633 2991804 3298661 3525363 3678960 3780736 345603 4015816 4314586 4667927 4807666).pn.	15
<input type="checkbox"/>	L2	5156186[uref]	13
<input type="checkbox"/>	L1	5156186.pn.	1

END OF SEARCH HISTORY